


ETLS11 Specifications



All measurements are in mm.

Type	Basic Dimensions			Consult Parameter						
	D	H	d	h	h ₁	h ₂	R	∠°	β	e
ETLS11-0.4-13	13	10	0.4	0.3	1.2	2.0	3.0	18°	-	-
ETLS11-0.6-13			0.6	0.4		2.2				
ETLS11-0.8-13			0.8	0.6		2.5				
ETLS11-0.9-13			0.9	0.7		3.0				
ETLS11-1.0-13			1.0	0.7						
ETLS11-1.1			1.1	1.0						
ETLS11-1.3			1.3	1.0		4.0				
ETLS11-1.6			1.6	1.1						
ETLS11-1.8			1.8	1.2		4.0				
ETLS11-2.0			2.0	1.2						
ETLS11-2.3			2.3	1.4						
ETLS11-0.4-16			16	14		0.4	0.3			
ETLS11-0.6-16	0.6	0.4								
ETLS11-0.8-16	0.8	0.6								
ETLS11-1.0-16	1.0	1.0								
ETLS11-1.3-16	1.3	1.2								
ETLS11-1.6-16	1.6	1.2								
ETLS11-1.8-16	1.8	1.2								
ETLS11-2.0-16	2.0	1.2								
ETLS11-2.3-16	2.3	1.4								
ETLS11-2.5-16	2.5	1.4								
ETLS11-2.6	2.6	1.4								
ETLS11-2.8	2.8	1.4								
ETLS11-1.8-20F	20	17	1.8	2.3	2.5	6.0	-	18°	40°	1.2
ETLS11-2.0-20F			2.0							
ETLS11-2.3-20F			2.3							
ETLS11-2.5-20F			2.5							
ETLS11-2.8-20F			2.8		2.5	7				
ETLS11-3.0-20F			3.0							
ETLS11-3.3-20F			3.3							
ETLS11-3.5-20F			3.5							
ETLS11-3.8-20F	3.8	2.5	7							
ETLS11-4.0-20F	4.0									
ETLS11-4.2-20F	4.2									
ETLS11-4.5-20F	4.5									
ETLS11-4.7-20F	4.7									

ETLS11-5.2-20F			5.2	2.6							
ETLS11-5.7-20F			5.7								
ETLS11-6.0-20F			6.0								
ETLS11-1.8-21F	-	-	1.8	1.2	2.5	6.0	5.0	18°	40°	1.2	
ETLS11-2.0-21F			2.0	1.2							
ETLS11-2.3-21F			2.3	1.4							
ETLS11-2.5-21F			2.5	1.4							
ETLS11-2.8-21F	21	17± 0.4	2.8	1.4	2.5	6.0	5.0	18°	40°	1.2	
ETLS11-3.0-21F			3.0	1.4							
ETLS11-3.3-21F			3.3	1.5							
ETLS11-3.5-21F			3.5	1.5							
ETLS11-3.8-21F			3.8	1.6							
ETLS11-4.0-21F			4.0	1.7							
ETLS11-4.2-21F			4.2	1.8							
ETLS11-4.5-21F			4.5	1.8							
ETLS11-4.7-21F			4.7	1.8							
ETLS11-4.9-21F			4.9	1.9							
ETLS11-5.2-21F			5.2	2.0							
ETLS11-5.5-21F	5.5	2.5									
ETLS11-5.7-21F	5.7	3.0	8.0								
ETLS11-1.6-22F	22	18		1.6	1.4	2.5	5.0	5.0	18°	40°	1.2
ETLS11-1.8-22F				1.8							
ETLS11-2.0-22F			2.0								
ETLS11-2.3-22F			2.3								
ETLS11-2.5-22F			2.5								
ETLS11-2.8-22F	22	18	2.8	1.4	2.5	7.0	5.0	18°	40°	1.2	
ETLS11-3.0-22F			3.0								
ETLS11-3.3-22F			3.3								
ETLS11-3.5-22F			3.5	1.8							
ETLS11-3.8-22F			3.8								
ETLS11-4.0-22F			4.0								
ETLS11-4.2-22F			4.2	2.2							
ETLS11-4.5-22F			4.5								
ETLS11-4.7-22F			4.7								
ETLS11-5.2-22F			5.2	2.6							
ETLS11-5.7-22F			5.7								
ETLS11-6.0-22F	6.0										
ETLS11-1.6-22	22	18	1.6	1.4	2.5	5.0	5.0	18°	40°	1.2	
ETLS11-1.8-22			1.8								
ETLS11-2.0-22			2.0								
ETLS11-2.3-22			2.3								
ETLS11-2.5-22			2.5								
ETLS11-2.8-22			2.8								
ETLS11-3.0-22			3.0								
ETLS11-3.1	22	18	3.1	1.8	2.5	7.0	5.0	18°	40°	1.2	
ETLS11-3.3			3.3								
ETLS11-3.5			3.5								
ETLS11-3.8			3.8								
ETLS11-4.0			4.0								
ETLS11-4.2			4.2	2.2							
ETLS11-4.5			4.5								
ETLS11-4.7			4.7	2.4							

ETLS11-5.0			5.0	2.6						
ETLS11-5.2			5.2							
ETLS11-5.7			5.7	2.8						
ETLS11-6.0			6.0							